


THINTANKS – DIMENSIONS IN MM

TT1000

Height	Length	Width
1850	2400	260

- WHEN PUTTING THE 1000 LITRE THINTANK AGAINST A BRICK OR CONCRETE WALL YOU WILL REQUIRE CUSTOM MADE Z BRACKETS
- WHERE THE TANK IS IN A FREESTANDING POSITION, FENCE POSTS WILL BE REQUIRED. THESE CAN BE PURCHASED FROM HARDWARE STORES AND METAL FABRICATORS.



TT2000 - NEW

Height	Length	Width
1975	2400	470


- WHEN PUTTING THE 2000 LITRE THINTANK AGAINST A BRICK OR CONCRETE WALL YOU WILL REQUIRE CUSTOM MADE Z BRACKETS
- WHERE THE TANK IS IN A FREESTANDING POSITION CUSTOMS MADE END BRACKETS ARE REQUIRED



TT3000

Height	Length	Width
1970	2920	580

- THE ONLY AVAILABLE OPTION FOR THE 3000 LITRE THINTANK IS END BRACKETS
- WHERE MULTIPLE TANKS ARE INSTALLED NEXT TO EACH OTHER WE RECOMMEND USING A MIDDLE BRACKET BETWEEN THE TANKS TO LIMIT THE SPACE



NEW THINTANKS – DIMENSIONS IN MM

TT1333

Height	Length	Width
1950	1012	750


- NO FIXINGS REQUIRED FOR THIS TANK



TTF2000 - FAT

Height	Length	Width
1950	1500	750


- NO FIXINGS REQUIRED FOR THIS TANK



TT4000

Height	Length	Width
1970	2920	750

- NO FIXINGS REQUIRED FOR THIS TANK



THINTANK COLOURS



TANKS ARE AVAILABLE IN 12 STANDARD
COLOURS

CUSTOM COLOURS CAN BE MADE HOWEVER
THE AESTHETIC PLUGS ARE ONLY AVAILABLE IN
THE 12 STANDARD COLOURS.